

STUD FRAMING
OR FURRING

TEK SCREW
ATTACH THRU
JOINT

ATTACH PANEL WITH
STRUCTURAL SILICONE
SPACED 16" (400mm) O.C. MAX.

SHIM AS REQ'D.
FOR ALIGNMENT

1 1/4"
(32mm)

StoneLite® PANEL

SEALANT
AND
BACKER ROD
(BY OTHERS)

3/8" (10mm)
MIN.

ELEV.

PLAN VIEW

PANEL WIDTH

SP-13

3/8" (10mm) SEALANT
JOINT (TYP.)
MINIMUM JOINT
FOR THIS APPLICATION

STRUCTURAL SILICONE
ATTACH AT STUD LOCATION

FACTORY ATTACHED EDGE PLATES
W/ SLOTTED HOLES FOR
SCREW ATTACHMENT AT JOINT AREA

SCREW ATTACH WITH #10 (5mm) TEK SCREWS
THRU SLOTTED HOLES IN ATTACHMENT PLATES
INTO FRAMING MEMBERS BEYOND

NOTE:
STEEL STUDS OR FURRING
MUST BE LOCATED AT EACH
PANEL JOINT. CONTACT SPI
TECHNICAL SERVICES FOR
ADDITIONAL INFORMATION.

PANEL HT.

ELEVATION

SP-12

EDGE PLATE ATTACHMENT

Stonepanels
INTERNATIONAL LLC

2400 HWY 1431 WEST
Marble Falls, TX 78654
800.328.6275
www.stonepanels.com